## MATERIAL SAFETY DATA SHEET

## **SECTION 1: IDENTIFICATION**

Product identifier : MASS AIR FLOW SENSOR CLEANER

Product Use : Automotive - Cleaner (aerosol).

Chemical Family : Mixture.

Manufacturer part no. : MAS7C

Supplier's name and address: Manufacturer's name and address:

Radiator Specialty Co., of Canada Refer to Supplier

1711 Aimco Blvd.

Mississauga, ON, Canada

L4W 1H7

Information Telephone # : (905) 625-9117 (Monday - Friday, 8 AM - 4 PM)

**24 Hr. Emergency Tel #** : 613-996-6666 (CANUTEC)

### SECTION 2 - HAZARDS IDENTIFICATION

### Classification

: WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR).

WHMIS classification:

Class A (Pressurized containers); Class B5 (Flammable Aerosols);

Class D2B (Materials Causing Other Toxic Effects, Toxic Material).

Labelling: Phrases recommended to appear on a supplier label, can be found in Section 15. WHMIS symbols required on a supplier label:



## **Emergency Overview**

: Aerosol spray. Clear liquid. Hydrocarbon odour.

Danger. Extremely flammable aerosol. Contents under pressure. Harmful if inhaled. May cause nausea, vomiting, headache and other central nervous system effects. May be harmful if swallowed. May be an aspiration hazard. Can enter the lungs and cause damage. Causes eye, skin and respiratory irritation. Contains material that may be harmful in the environment.

### **POTENTIAL HEALTH EFFECTS:**

# Signs and symptoms of short-term (acute) exposure

Inhalation: May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain, headache,

nausea, vomiting, dizziness, drowsiness and other central nervous system effects. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue

and unconsciousness.

Skin : May cause moderate to severe skin irritation. If product is sprayed directly on skin, symptoms of frostbite

may be experienced including numbness, prickling and itching.

Eyes: May cause eye irritation. If product is sprayed directly into the eyes, could cause freezing of the eye.

Ingestion: Not an expected route of entry under normal conditions of use. However, if the product is sprayed directly

into mouth and large amounts of the liquid concentrate are swallowed, it may cause irritation to the mouth, throat and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. May be an aspiration hazard. Aspiration into the lungs during

swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

## Effects of long-term (chronic) exposure

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: Contains material that may be harmful in the environment. See Section 12 for more environmental information.

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	CAS#	Wt.%
n-Heptane	142-82-5	60.00 - 100.00
Liquefied petroleum gases, sweetened	68476-86-8	7.00 - 13.00

## **SECTION 4 - FIRST AID MEASURES**

Inhalation Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If

breathing is difficult, give oxygen by qualified medical personnel only. Get medical attention

if symptoms persist.

Skin contact : Remove/Take off immediately all contaminated clothing. Wash exposed area thoroughly

with soap and water for at least 15 minutes. Get medical attention if symptoms persist.

Eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, seek

prompt medical attention.

: Seek immediate medical attention/advice. Do not induce vomiting. Never give anything by Ingestion

mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head

lowered (forward) to reduce the risk of aspiration.

**Notes For Physician** : Treat symptomatically. This product is a CNS depressant.

#### **SECTION 5 - FIRE FIGHTING MEASURES**

#### Fire hazards/conditions of flammability

: Extremely flammable aerosol. Will ignite when exposed to heat, flame and other sources of ignition. Closed containers are contained under pressure and may explode if exposed to excess heat for a prolonged period of time. Vapours are heavier than air and collect in confined and low-lying areas. Vapour can travel to ignition source and flash back. Material will float on water and can be re-ignited at the water's surface.

**Oxidizing properties** 

: None known.

Explosion data: Sensitivity to mechanical impact / static discharge

May be sensitive to static discharge. Aerosols are sensitive to mechanical impact. Contents

under pressure.

Suitable extinguishing media: Dry chemical, foam, carbon dioxide and water fog.

Special fire-fighting procedures/equipment

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Shield personnel to protect from venting or rupturing containers. Water spray may be useful in cooling equipment exposed to heat and flame.

## Hazardous combustion products

: Carbon oxides; Other unidentified organic compounds.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions

: All persons dealing with the clean-up should wear the appropriate personal protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** Spill response/cleanup

: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

**Prohibited materials** : Do not use combustible absorbents, such as sawdust.

## SECTION 7 - HANDLING AND STORAGE

### Safe Handling procedures

: Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and open flames. No sparking tools should be used. Avoid contact with incompatible materials. Do not puncture or incinerate. Wash thoroughly after handling. Always replace cap after use.

Page 3 of 7

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

Storage requirements : Store in a cool, dry, well-ventilated area. Keep away from direct sunlight. Storage area

should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

**Incompatible materials**: Strong oxidizing agents.

**Special packaging materials**: Always keep in containers made of the same materials as the supply container.

### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits				
	<u>ACGI</u>	H TLV	OSHA PEL	
<u>Ingredients</u>	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	STEL
n-Heptane	400 ppm	500 ppm	500 ppm (2000 mg/m³)	N/Av
Liquefied petroleum gases, sweetened	N/Av	N/Av	N/Av	N/Av

### Ventilation and engineering measures

: Use in a well-ventilated area. Use general or local exhaust ventilation to maintain air

concentrations below recommended exposure limits.

Respiratory protection : If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Advice should be

sought from respiratory protection specialists.

**Skin protection**: Impervious gloves must be worn when using this product. Advice should be sought from

glove suppliers. Depending on conditions of use, an impervious apron should be worn.

Eye / face protection : Chemical splash goggles are recommended.

Other protective equipment : An eyewash station and safety shower should be made available in the immediate working

area.

General hygiene considerations

Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink, smoke or use cosmetics while working with this product. Remove and wash contaminated clothing before re-use. Wash with soap and water after handling.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : Liquid aerosol. Appearance : Clear, colourless liquid.

Odour : Petroleum odour. Odour threshold : N/Av

pH : N/Av

Boiling point : 98°C Specific gravity : 0.684

Melting/Freezing point : -91°C Coefficient of water/oil distribution

: N/Av

Vapour pressure (mmHg @ 20° C / 68° F) Solubility in water : Insoluble.

40 (Heptane)

Vapour density (Air = 1) : > 1 Evaporation rate (n-Butyl acetate = 1)

: > 9

Volatile organic Compounds (VOC's) Volatiles (% by weight) : N/Av

: N/Av

Flash point : - 4°C (Heptane)

Flash point Method : TCC Auto-ignition temperature : Not available.

Lower flammable limit (% by vol.) Upper flammable limit (% by vol.)

1.1 (Heptane) : 7.0 (Heptane)

Flame Projection Length : < 45.7 cm Flashback observed : YES

Absolute pressure of container Viscosity : <1 cSt @ 20°C

: N/Av

**General Information**: No additional information.

## Section 10: STABILITY AND REACTIVITY

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed.

Hazardous polymerization : Hazardous polymerization does not occur.

MSDS Revision Date (mm/dd/yyyy): 07/27/2016 Page 4 of 7

Conditions to avoid

: Avoid heat and open flame. Keep away from direct sunlight. Do not use in areas without

adequate ventilation. Avoid contact with incompatible materials.

Materials To Avoid And Incompatibility

: Strong oxidizing agents

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

## SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system, digestive system, central nervous system.

Routes of exposure : Inhalation: YES Skin Absorption: NO Skin & Eyes: YES Ingestion: YES

Irritancy : May cause moderate to severe skin irritation. May cause severe eye irritation.

**Toxicological data** : There is no available data for the product itself, only for the ingredients. See below for

individual ingredient acute toxicity data.

	LC₅₀(4hr)		50	
<u>Ingredients</u>	inh, rat	(Oral, rat)	(Rabbit, dermal)	
n-Heptane	25 000 ppm (102.5 mg/L) (vapour)	> 15 000 mg/kg	> 2000 mg/kg (No mortality)	
Liquefied petroleum gases, sweetened	N/Av	N/Ap (gas)	N/Ap (gas)	

Carcinogenic status : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

**Reproductive effects**: Not expected to cause reproductive effects.

**Teratogenicity**: Not expected to be a teratogen.

Mutagenicity : Not expected to be mutagenic in humans.Epidemiology : None known or reported by the manufacturer.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Synergistic materials : None known or reported by the manufacturer.

**other important hazards** : CNS depression may result from extreme exposures.

Conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

## **SECTION 12 - ECOLOGICAL INFORMATION**

**Ecotoxicity** 

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains the following substances which are hazardous for the environment: Heptane.

See the following tables for individual ingredient ecotoxicity data.

### Ecotoxicity data:

In any all and a	040 N	Toxicity to Fish		
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
n-Heptane	142-82-5	trout)		None.
Liquefied petroleum gases, sweetened	68476-86-8			N/Ap

<u>Ingredients</u>	CAS No	Toxicity to Daphnia			
		EC50 / 48h NOEC / 21 day		M Factor	
n-Heptane	142-82-5	0.2 mg/L Chaetogammarus marinus (Water flea)	0.06 - 0.23 mg/L	1	
Liquefied petroleum gases, sweetened	68476-86-8	N/Ap	N/Ap	N/Ap	

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
n-Heptane	142-82-5	4.338 mg/L/72hr (Green algae)	0.97 mg/L/72hr	None.
Liquefied petroleum gases, sweetened	68476-86-8	N/Ap	N/Ap	N/Ap

**Mobility**: No data is available on the product itself.

Persistence : No data is available on the product itself. Contains: Heptane.

Heptane is considered to be readily biodegradable.

**Bioaccumulation potential**: No data is available on the product itself. See the following data for ingredient information.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
n-Heptane (CAS 142-82-5)	4.66	2000

#### Other Adverse Environmental effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

**Handling for Disposal** : Handle waste according to recommendations in Section 7. Do not puncture or incinerate

containers.

Methods of Disposal : Dispose of in accordance with federal, provincial and local hazardous waste laws.

## SECTION 14: TRANPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	UN1950	AEROSOLS	2.1	None	2
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption.				

## **SECTION 15 - REGULATORY INFORMATION**

### Labelling:

Danger. Extremely flammable aerosol. Contents under pressure. Harmful if inhaled. May cause nausea, vomiting, headache and other central nervous system effects. May be harmful if swallowed. May be an aspiration hazard. Can enter the lungs and cause damage. Causes eye, skin and respiratory irritation.

PRECAUTIONS: Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and open flames. No sparking tools should be used. Avoid contact with incompatible materials. Do not puncture or incinerate containers. Wash thoroughly after handling. Store in a cool, dry, well-ventilated area away from sources of heat, ignition and sunlight.

FIRST AID: If inhaled, move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Get medical attention if symptoms persist. For skin contact, immediately remove contaminated clothing then wash thoroughly with soap and water for at least 15 minutes. Get medical attention if symptoms persist. For eye contact, flush with running water for at least 15 minutes. If irritation persists, seek prompt medical attention. If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.

Refer To Material Safety Data Sheet for further information.

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

Page 6 of 7

### **Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

#### **US Federal Information:**

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

### **SECTION 16 - OTHER INFORMATION**

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services CNS: Central Nervous System

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RTECS: Registry of Toxic Effects of Chemical Substances

STEL: Short Term Exposure Limit TCC: Tagliabue Closed Cup

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

## References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016.
  - 2. International Agency for Research on Cancer Monographs, searched 2016.
  - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2016 (Chempendium, HSDB and RTECs).
  - 4. Material Safety Data Sheets from manufacturer.
  - 5. OECD The Global Portal to Information on Chemical Substances eChemPortal, 2016.

### Prepared for:

Radiator Specialty Co. of Canada

1711 Aimco Blvd.

Mississauga, ON, Canada, L4W 1H7

Telephone: 905-625-9117 (Mon. - Fri., 8 AM - 4 PM) Please direct all enquiries to Radiator Specialty.

## Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com



Page 7 of 7

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Radiator Specialty Co. of Canada and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Radiator Specialty Co. of Canada expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Radiator Specialty Co. of Canada.

MSDS Preparation Date (mm/dd/yyyy)

: 11/23/2007

MSDS Revision Date (mm/dd/yyyy)

: 07/27/2016

Revision No. : 4

**Revision Information**: (M)SDS sections updated:

12. ECOLOGICAL INFORMATION.

END OF DOCUMENT